

NOPE!®



PRE-BAITED MOUSE STATION

**Tamper-Resistant
and Robust**



**MAXIMUM
STRENGTH POISON**



**PRE-BAITED FOR
REDUCED HANDLING**



**HIGHLY PALATABLE
BLOCK BAIT**



SAFEGUARD®

BUILT TO PROTECT

SAY **NOPE!** TO MICE

1

FIND THE INFESTATION

2

SET THE BAIT

3

RELAX AND REFILL

- 1. FIND THE INFESTATION:** search kitchens, gaps around pipes and behind units, lofts, airing cupboards, meter cupboards and service risers. Check under floorboards and inside wall cavities. Look for rice-sized droppings, a strong ammonia smell, smear and gnaw marks. Mice climb and range at all levels but favour warm, undisturbed voids. They can survive on little to no water, drawing moisture from food.
- 2. SET THE BAIT:** the included bait block has already been placed inside the bait station. Close the station to lock it automatically, then safely secure to the ground or wall. Place stations tight to edges and known runs. Space multiple bait stations at least 2 metres apart.
- 3. FIND THE INFESTATION:** inspect stations every 2 to 3 days at the start, then at least weekly. Refill any empty or spoiled bait until no more bait is taken. Remove remaining bait at the end of the treatment.

KNOW YOUR ENEMY


House mice are the UK's most common indoor mouse species. They squeeze through very small gaps to get into your home, exploit cavities and pipe chases, and leave tiny droppings and a strong urine smell wherever they go.

TYPICAL HIDING PLACES INCLUDE:

- Floor voids
- Under floorboards
- Through broken or leaking drains
- Voids behind kitchen units and plinths
- Behind or beneath appliances
- Under bath panels
- Around toilet cisterns
- Boiler/meter cupboards
- Spaces between walls and pipes/cables
- Under-stairs cupboards

PROVE AND PREVENT

Mice are always on the hunt for food, warmth and shelter. Their small size and constant nibbling make them difficult to spot until the signs build up.



To keep mice away, remove their food, warmth and shelter first. Mice navigate by touch and scent and prefer to travel along wall edges and behind services. Place **NOPE!® Pre-Baited Mouse Stations** snug to walls, and near confirmed runs, where you find droppings or smear marks. House mice move through cavity walls and voids and will climb along cables and pipework into lofts and upper floors. They can squeeze through gaps as small as 5 to 6 mm. In combination with **NOPE!® Pre-Baited Mouse Stations**, start mouse-proofing your home with targeted sealing, tidying and storage. Blocking access is preferable to continued use of rodenticides.

THE ESSENTIALS

Remove food and water. Store food in airtight containers, clear spills promptly and empty pet bowls overnight. Mice don't need much to drink, but they eat little and often, so tend to stay close to food sources. Block entry. Start with obvious gaps, then smaller ones. Seal pipe and cable holes. Fit purpose-made metal vent covers or stainless mesh so mice cannot pass.

INSIDE THE HOME

- Store strong-smelling foods in sealed glass jars or metal tins.
- Fit brush strips on external doors so no light shows beneath.
- Screw kitchen plinths tight to deny access behind cupboards.
- Cover air bricks with purpose-made metal vent covers.
- Secure cables and pipework in lofts and risers, then seal penetrations.

OUTSIDE THE HOME

- Cut back climbing plants on walls and fences to leave a 300 mm clear band at ground level. Prune vertical cover that lets mice reach eaves or vents and fit stainless mesh no larger than 6 mm to any openings.
- Fix leaking external pipes, overflows and guttering. Empty trays and water butts to reduce insect prey and damp harbourage, then remove any standing water.
- Seal frames on doors and windows, refit brush seals and repair warped thresholds. Aim for no visible light under external doors. Cover air bricks and vents with purpose-made metal covers or stainless mesh with openings no larger than 6 mm.
- Regularly inspect under decking with a torch. Clear debris and spilt seed. Where gaps persist along the perimeter, consider fixing fine stainless mesh to deny access.
- During treatment and for a week after, stop bird feeding. Store all feed in metal containers with tight lids and sweep up any spillage daily.

NOPE!®

Trusted by thousands of customers worldwide



HSE Registration: **Brodifacoum 25 Bait Blocks II – GB/N1-2016-0997-0013**
Contains: **Brodifacoum 0.0025% w/w and Denatonium Benzoate 0.001% w/w**

UK: Safeguard Europe Ltd., Redkln Close, Horsham, West Sussex, RH13 5QL.
T +44 (0) 1403 210204 E info@safeguardeurope.com

DE: Safeguard Europe GmbH, Hamburger Straße 11, 22083 Hamburg, Deutschland.
T +49 40 87407563 E info@safeguardeurope.de

© Safeguard Europe Ltd.

www.safeguardeurope.com